

Journal of **MOLECULAR BIOLOGY**

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD

C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

VOLUME 178

5 September to 5 October 1984



ACADEMIC PRESS

London New York San Francisco

Journal of
MOLECULAR
BIOLOGY

Copyright © 1984, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain



CONTENTS OF VOLUME 178

NUMBER 1, 5 SEPTEMBER 1984

SCHMIDT, E. R., Clustered and Interspersed Repetitive DNA Sequence Family of <i>Chironomus</i> . The Nucleotide Sequence of the Cla-Elements and of Various Flanking Sequences	1
SELLECK, S. B., ELGIN, S. C. R. and CARTWRIGHT, I. L., Supercoil-dependent Features of DNA Structure at <i>Drosophila</i> locus 67B1	17
CLERGET, M., A 140 Base-pair DNA Segment from the Kanamycin Resistance Region of Plasmid R1 Acts as an Origin of Replication and Promotes Site-specific Recombination	35
MARIMAN, E. C. M., SILLEKENS, P. T. G., VAN BEEK-REINDERS, R. J. and VAN VENROOIJ, W. J., A Model for the Excision of Introns 1 and 2 from Adenoviral Major Late Pre-messenger RNAs.	47
RICHMOND, T. J., Solvent Accessible Surface Area and Excluded Volume in Proteins. Analytical Equations for Overlapping Spheres and Implications for the Hydrophobic Effect	63
WRIGHT, C. S., Structural Comparison of the Two Distinct Sugar Binding Sites in Wheat Germ Agglutinin Isolectin II	91
LETTERS TO THE EDITOR	
MCDOWALL, A. W., HOFMANN, W., LEPAULT, J., ADRIAN, M. and DUBOCHET, J., Cryo-electron Microscopy of Vitrified Insect Flight Muscle	105
HOTANI, H., Transformation Pathways of Liposomes	113

NUMBER 2, 15 SEPTEMBER 1984

DOENECKE, D. and TÖNJES, R., Conserved Dyad Symmetry Structures at the 3' End of H5 Histone Genes. Analysis of the Duck H5 Gene	121
FULFORD, W. and MODEL, P., Gene X of Bacteriophage ϕ 1 is Required for Phage DNA Synthesis. Mutagenesis of In-frame Overlapping Genes	137
CAROLL, D., WRIGHT, S. H., AJIOKA, R. S. and HUSSEY, C. E. JR, Genetic Recombination of <i>Xenopus laevis</i> 5 S DNA in Bacteria	155
VITEK, M. P. and BERGER, E. M., Steroid and High-temperature Induction of the Small Heat-shock Protein Genes in <i>Drosophila</i>	173

DEHÒ, G., GHISOTTI, D., ALANO, P., ZANGROSSI, S., BORRELLO, M. G. and SIRONI, G., Plasmid Mode of Propagation of the Genetic Element P4	191
LIEBMAN, S. W., SRODULSKI, Z., REED, C. R., STEWART, J. W., SHERMAN, F. and BRENNAN, G., Yeast Amber Suppressors Corresponding to tRNA ₃ ^{Leu} Genes	209
DE MASSY, B., FAYET, O. and KOGOMA, T., Multiple Origin Usage for DNA Replication in <i>sdrA</i> (<i>rnh</i>) Mutants of <i>Escherichia coli</i> K-12. Initiation in the Absence of <i>oriC</i>	227
MARKHAM, B. E., HARPER, J. E., MOUNT, D. W., SANCAR, G. B., SANCAR, A., RUPP, W. D., KENYON, C. J. and WALKER, G. C., Analysis of mRNA Synthesis Following Induction of the <i>Escherichia coli</i> SOS System	237
CUSICK, M. E., DEPAMPHILIS, M. L. and WASSARMAN, P. M., Dispersive Segregation of Nucleosomes During Replication of Simian Virus 40 Chromosomes	249
FRITZ, A., PARISOT, R., NEWMEYER, D. and DE ROBERTIS, E. M., Small Nuclear U-Ribonucleoproteins in <i>Xenopus laevis</i> Development. Uncoupled Accumulation of the Protein and RNA Components	273
GREGORY, R. J., ZELLER, M. L., THURLOW, D. L., GOURSE, R. L., STARK, M. J. R., DAHLBERG, A. E. and ZIMMERMANN, R. A., Interaction of Ribosomal Proteins S6, S8, S15 and S18 with the Central Domain of 16 S Ribosomal RNA from <i>Escherichia coli</i>	287
STARK, M. J. R., GREGORY, R. J., GOURSE, R. L., THURLOW, D. L., ZWIEB, C., ZIMMERMANN, R. A. and DAHLBERG, A. E., Effects of Site-directed Mutations in the Central Domain of 16 S Ribosomal RNA Upon Ribosomal Protein Binding, RNA Processing and 30 S Subunit Assembly	303
SUTOH, K., YAMAMOTO, K. and WAKABAYASHI, T., Electron Microscopic Visualization of the SH ₁ Thiol of Myosin by the Use of an Avidin-Biotin System	323
STEIN, A. and BINA, M., A Model Chromatin Assembly System. Factors Affecting Nucleosome Spacing	341
QUINLAN, R. A., COHLBERG, J. A., SCHILLER, D. L., HATZFELD, M. and FRANKE, W. W., Heterotypic Tetramer (A ₂ D ₂) Complexes of Non-epidermal Keratins Isolated from Cytoskeletons of Rat Hepatocytes and Hepatoma Cells	365
HIRONO, S., AKAGAWA, H., MITSUI, Y. and IITAKA, Y., Crystal Structure at 2.6 Å Resolution of the Complex of Subtilisin BPN' with <i>Streptomyces</i> Subtilisin Inhibitor	389
COPPOLA, J. A. and LUSE, D. S., Purification and Characterization of Ternary Complexes Containing Accurately Initiated RNA Polymerase II and Less than 20 Nucleotides of RNA	415

MAKINEN, M. W. and SIGOUNTOS, C. W., Structural Basis and Dynamics of the Fiber-to-Crystal Transition of Sick Cell Hemoglobin	439
LETTERS TO THE EDITOR	
MONACO, H. L., ZANOTTI, G., OTTONELLO, S. and BERNI, R., Crystallization of Human Plasma Apo-retinol-binding Protein	477
HAMILTON, D. L. and ABREMSKI, K., Site-specific Recombination by the Bacteriophage P1 <i>lox</i> -Cre System. Cre-mediated Synopsis of Two <i>lox</i> Sites	481
WIERENGA, R. K., HOL, W. G. J., MISSET, O. and OPPERDOES, F. R., Preliminary Crystallographic Studies of Triosephosphate Isomerase from the Blood Parasite <i>Trypanosoma brucei brucei</i>	487

NUMBER 3, 25 SEPTEMBER 1984

MORELLI, G. and MACINO, G., Two Intervening Sequences in the ATPase Subunit 6 Gene of <i>Neurospora crassa</i> . A Short Intron (93 Base-pairs) and a Long Intron that is Stable after Excision	491
Hsu, L. M., ZAGORSKI, J. and FOURNIER, M. J., Cloning and Sequence Analysis of the <i>Escherichia coli</i> 4.5 S RNA Gene	509
BROWN, S. and FOURNIER, M. J., The 4.5 S RNA Gene of <i>Escherichia coli</i> is Essential for Cell Growth	533
GOMES, S. L. and SHAPIRO, L., Differential Expression and Positioning of Chemotaxis Methylation Proteins in <i>Caulobacter</i>	551
RABKIN, S. D. and STRAUSS, B. S., A Role for DNA Polymerase in the Specificity of Nucleotide Incorporation Opposite <i>N</i> -Acetyl-2-amino-fluorene Adducts	569
SAFFRAN, W. A. and CANTOR, C. R., Mutagenic SOS Repair of Site-specific Psoralen Damage in Plasmid pBR322	595
HENDRICKSON, W. and SCHLEIF, R. F., Regulation of the <i>Escherichia coli</i> L-Arabinose Operon Studied by Gel Electrophoresis DNA Binding Assay	611
LUNDQVIST, B. and BERTANI, G., Immunity Repressor of Bacteriophage P2. Identification and DNA-binding Activity	629
INOKUCHI, K., FURUKAWA, H., NAKAMURA, K. and MIZUSHIMA, S., Characterization by Deletion Mutagenesis <i>in Vitro</i> of the Promoter Region of <i>ompF</i> , a Positively Regulated Gene of <i>Escherichia coli</i>	653
INOUE, T., JOYCE, G. F., GRZESKOWIAK, K., ORGEL, L. E., BROWN, J. M. and REESE, C. B., Template-directed Synthesis on the Pentanucleotide CpCpGpCpC	669

VERSCHOOR, A., FRANK, J., RADERMACHER, M., WAGENKNECHT, T. and BOUBLIK, M., Three-dimensional Reconstruction of the 30 S Ribosomal Subunit from Randomly Oriented Particles	677
<i>Appendix: FRANK, J. and VERSCHOOR, A., Masks for Prescreening of Molecule Projections</i>	<i>696</i>
PLISHKER, M. F. and BERGET, P. B., Isolation and Characterization of Precursors in Bacteriophage T4 Baseplate Assembly. III. The Carboxyl Termini of Protein P11 are Required for Assembly Activity	699
AMOS, L. A., JUBB, J. S., HENDERSON, R. and VIGERS, G., Arrangement of Protofilaments in Two Forms of Tubulin Crystal Induced by Vinblastine	711
GRONENBORN, A. M., CLORE, G. M., BRUNORI, M., GIARDINA, B., FALCIONI, G. and PERUTZ, M. F., Stereochemistry of ATP and GTP Bound to Fish Haemoglobins. A Transferred Nuclear Overhauser Enhancement ³¹ P-Nuclear Magnetic Resonance, Oxygen Equilibrium and Molecular Modelling Study	731
LESLIE, A. G. W. and WONACOTT, A. J., Structural Evidence for Ligand-induced Sequential Conformational Changes in Glyceraldehyde 3-Phosphate Dehydrogenase	743
LETTERS TO THE EDITOR	
CALLADINE, C. R. and DREW, H. R., A Base-centred Explanation of the B-to-A Transition in DNA	773
WESTBROOK, E. M., LEHRER, R. I. and SELSTED, M. E., Characterization of Two Crystal Forms of Neutrophil Cationic Protein NP2, a Naturally Occurring Broad-spectrum Antimicrobial Agent from Leukocytes	783
GATTI, G., BOLOGNESI, M., CODA, A., CHIOLERIO, F., FILIPPINI, E. and MALCOVATI, M., Crystallization of Hen Egg-white Avidin in a Tetragonal Form	787
ANNOUNCEMENT	791
ERRATUM	793

NUMBER 4, 5 OCTOBER 1984

VOLIVA, C. F., MARTIN, S. L., HUTCHISON, C. A. III and EDGELL, M. H., Dispersal Process Associated with the L1 Family of Interspersed Repetitive DNA Sequences	795
FELDMAN, J. B., HICKS, J. B. and BROACH, J. R., Identification of Sites Required for Repression of a Silent Mating Type Locus in Yeast	815

HAGEN, D. C. and SPRAGUE, G. F. JR, Induction of the Yeast α -Specific <i>STE3</i> Gene by the Peptide Pheromone a -Factor	835
STERN, M., JENSEN, R. and HERSKOWITZ, I., Five <i>SWI</i> Genes are Required for Expression of the <i>HO</i> Gene in Yeast	853
CARNEIRO, M. and SCHIBLER, U., Accumulation of Rare and Moderately Abundant mRNAs in Mouse L-Cells is Mainly Post-transcriptionally Regulated	869
ALBRECHT, G., KROWCZYNSKA, A. and BRAWERMAN, G., Configuration of β -Globin Messenger RNA in Rabbit Reticulocytes. Identification of Sites Exposed to Endogenous and Exogenous Nucleases	881
SOGO, J. M., NESS, P. J., WIDMER, R. M., PARISH, R. W. and KOLLER, TH., Psoralen-crosslinking of DNA as a Probe for the Structure of Active Nucleolar Chromatin	897
<i>Appendix:</i> CONCONI, A., LOSA, R., KOLLER, TH. and SOGO, J. M., Psoralen-crosslinking of Soluble and H1-depleted Soluble Rat Liver Chromatin	920
LA MAR, G. N., JUE, T., HOFFMAN, B. M. and NAGAI, K., Proton Nuclear Magnetic Resonance Investigation of the Allosteric Transition in Ligated and Unligated Carp Hemoglobin. Evidence for Structural Heterogeneity in the Heme Pocket	929
LETTER TO THE EDITOR	
AHMED, A., Use of Transposon-promoted Deletions in DNA Sequence Analysis	941

Index to Volume 178

- ABREMSKI, K. (see also HAMILTON, D. L.), 481
- Adenoviral major late pre-messenger RNAs, a model for the excision of introns 1 and 2, 47
- ADRIAN, M. (see also McDOWALL, A. W.), 105
- a-Factor pheromone and induction of the yeast α -specific *STE3* gene, 835
- Agglutinin isolectin II, wheat germ, structural comparison of the two distinct sugar binding sites, 91
- AHMED, A., Use of transposon-promoted deletions in DNA sequence analysis, 941
- AJIOKA, R. S. (see also CAROLL, D.), 155
- AKAGAWA, H. (see also HIRONO, S.), 389
- ALANO, P. (see also DEHÒ, G.), 191
- ALBRECHT, G., KROWCZYNSKA, A. & BRAWERMAN, G., Configuration of β -globin messenger RNA in rabbit reticulocytes. Identification of sites exposed to endogenous and exogenous nucleases, 881
- Allosteric transition in ligated and unligated carp hemoglobin, proton n.m.r. investigation; evidence for structural heterogeneity in the heme pocket, 929
- α -specific *STE3* gene, yeast, induction by the peptide pheromone a-factor, 835
- Amber suppressors, yeast, corresponding to tRNA^{Leu} genes, 209
- AMOS, L. A., JUBB, J. S., HENDERSON, R. & VIGERS, G., Arrangement of protofilaments in two forms of tubulin crystal induced by vinblastine, 711
- Antimicrobial agent, broad-spectrum, naturally occurring, from leukocytes: neutrophil cationic protein NP2, characterization of two crystal forms, 783
- Apo-retinol-binding protein, human plasma; crystallization, 477
- Assembly activity requires the carboxyl termini of protein P11; isolation and characterization of precursors in bacteriophage T4 baseplate assembly, 699
- , chromatin, a model system; factors affecting nucleosome spacing, 341
- ATP and GTP bound to fish haemoglobins, stereochemistry. A transferred nuclear Overhauser enhancement, ³¹P-nuclear magnetic resonance, oxygen equilibrium and molecular modelling study, 731
- ATPase subunit 6 gene of *Neurospora crassa*, two intervening sequences; a short intron (93 base-pairs) and a long intron that is stable after excision, 491
- Avidin, hen egg-white, crystallization in a tetragonal form, 787
- biotin system used in electron microscopic visualization of the SH₁ thiol of myosin, 323
- Bacteria, genetic recombination of *Xenopus laevis* 5 S DNA, 155
- Bacteriophage f1, gene X is required for phage DNA synthesis. Mutagenesis of in-frame overlapping genes, 137
- P1 *lox*-Cre system, site-specific recombination; Cre-mediated synopsis of two *lox* sites, 481
- P2 immunity repressor. Identification and DNA-binding activity, 629
- T4 baseplate assembly, isolation and characterization of precursors; the carboxyl termini of protein P11 are required for assembly activity, 699
- Base-centred explanation of the B-to-A transition in DNA, 773
- Baseplate assembly, T4, isolation and characterization of precursors; the carboxyl termini of protein P11 are required for assembly activity, 699
- BERGER, E. M. (see also VITEK, M. P.), 173
- BERGET, P. B. (see also PLISHKER, M. F.), 699
- BERNI, R. (see also MONACO, H. L.), 477
- BERTANI, G. (see also LUNDQVIST, B.), 629
- BINA, M. (see also STEIN, A.), 341
- Biotin-avidin system used in electron microscopic visualization of the SH₁ thiol of myosin, 323
- Blood parasite *Trypanosoma brucei brucei*, preliminary crystallographic studies of triosephosphate isomerase, 487
- BOLOGNESI, M. (see also GATTI, G.), 787
- BORRELLO, M. G. (see also DEHÒ, G.), 191
- BOUBLIK, M. (see also VERSCHOOR, A.), 677
- BRAWERMAN, G. (see also ALBRECHT, G.), 881
- BRENNAN, G. (see also LIEBMAN, S. W.), 209
- BROACH, J. R. (see also FELDMAN, J. B.), 815
- BROWN, J. M. (see also INOUE, T.), 669

- BROWN, S. & FOURNIER, M. J., The 4.5 S RNA gene of *Escherichia coli* is essential for cell growth, 533
- BRUNORI, M. (see also GRONENBORN, A. M.), 731
- B-to-A transition in DNA, a base-centred explanation, 773
- CALLADINE, C. R. & DREW, H. R., A base-centred explanation of the B-to-A transition in DNA, 773
- CANTOR, C. R. (see also SAFFRAN, W. A.), 595
- Carboxyl termini of protein P11 are required for assembly activity; isolation and characterization of precursors in bacteriophage T4 baseplate assembly, 699
- CARNEIRO, M. & SCHIBLER, U., Accumulation of rare and moderately abundant mRNAs in mouse L-cells is mainly post-transcriptionally regulated, 869
- CAROLL, D., WRIGHT, S. H., AJIOKA, R. S. & HUSSEY, C. E. JR, Genetic recombination of *Xenopus laevis* 5 S DNA in bacteria, 155
- Carp hemoglobin, ligated and unligated, proton n.m.r. investigation of the allosteric transition; evidence for structural heterogeneity in the heme pocket, 929
- CARTWRIGHT, I. L. (see also SELLECK, S. B.), 17
- Caulobacter*, differential expression and positioning of chemotaxis methylation proteins, 551
- Cell growth, the 4.5 S RNA gene of *Escherichia coli* is essential, 533
- Central domain of 16 S ribosomal RNA from *Escherichia coli*, interaction with ribosomal proteins S6, S8, S15 and S18, 287
- , —, —, effects of site-directed mutations upon ribosomal protein binding, RNA processing and 30 S subunit assembly, 303
- Chemotaxis methylation proteins in *Caulobacter*, differential expression and positioning, 551
- CHIOLERIO, F. (see also GATTI, G.), 787
- Chironomus*, nucleotide sequence of the Cla-elements and of various flanking sequences for clustered and interspersed repetitive DNA, 1
- Chromatin assembly system, model; factors affecting nucleosome spacing, 341
- , nucleolar, active, psoralen-crosslinking of DNA as a probe for the structure, 897
- , rat liver, soluble, H1-depleted psoralen-crosslinking, 920
- Chromosomes, SV40, dispersive segregation of nucleosome during replication, 249
- Cla-element, nucleotide sequence for clustered and interspersed repetitive DNA sequence family of *Chironomus*, 1
- CLERGET, M., A 140 base-pair DNA segment from the kanamycin resistance region of plasmid R1 acts as an origin of replication and promotes site-specific recombination, 35
- Cloning and sequence analysis of the *Escherichia coli* 4.5 S RNA gene, 509
- CLORE, G. M. (see also GRONENBORN, A. M.), 731
- Clustered and interspersed repetitive DNA sequence family of *Chironomus*. The nucleotide sequence of the Cla-elements and of various flanking sequences, 1
- CODA, A. (see also GATTI, G.), 787
- COHLBERG, J. A. (see also QUINLAN, R. A.), 365
- CONCONI, A., LOSA, R., KOLLER, TH. & SOGO, J. M., Psoralen-crosslinking of soluble and H1-depleted soluble rat liver chromatin (*Appendix* to Sogo, J. M. *et al.*, 897), 920
- Conformational changes, sequential, ligand-induced in glyceraldehyde 3-phosphate dehydrogenase, structural evidence, 743
- Complex of subtilisin BPN' with *Streptomyces* subtilisin inhibitor, crystal structure at 2.6 Å resolution, 389
- Complexes, heterotypic tetramer (A_2D_2), of non-epidermal keratins isolated from cytoskeletons of rat hepatocytes and hepatoma cells, 365
- , ternary, containing accurately initiated RNA polymerase II and less than 20 nucleotides of RNA, purification and characterization, 415
- Configuration of β -globin messenger RNA in rabbit reticulocytes. Identification of sites exposed to endogenous and exogenous nucleases, 881
- COPPOLA, J. A. & LUSE, D. S., Purification and characterization of ternary complexes containing accurately initiated RNA polymerase II and less than 20 nucleotides of RNA, 415
- CpCpGpCpC, template-directed synthesis, 669
- Cre-mediated synapsis of two *lox* sites. Site-specific recombination by the bacteriophage P1 *lox*-Cre system, 481
- Crosslinking, psoralen-, of DNA as a probe for the structure of active nucleolar chromatin, 897
- , —, — soluble and H1-depleted soluble rat liver chromatin, 920
- Cryo-electron microscopy of vitrified insect flight muscle, 105
- Crystal forms, two, of neutrophil cationic protein NP2, a naturally occurring broad-spectrum antimicrobial agent from leukocytes, 783

- structure at 2.6 Å resolution of the complex of subtilisin BPN' with *Streptomyces subtilisin* inhibitor, 389
- Crystallization of hen egg-white avidin in a tetragonal form, 787
- — human plasma apo-retinol-binding protein, 477
- Crystallographic studies, preliminary, of triosephosphate isomerase from the blood parasite *Trypanosoma brucei brucei*, 487
- CUSICK, M. E., DEPAMPHILIS, M. L. & WASSARMAN, P. M., Dispersive segregation of nucleosomes during replication of simian virus 40 chromosomes, 249
- DAHLBERG, A. E. (see also GREGORY, R. J.), 287
- (— — STARK, M. J. R.), 303
- DEHÒ, G., GHISOTTI, D., ALANO, P., ZANGROSSI, S., BORRELLO, M. G. & SIRONI, G., Plasmid mode of propagation of the genetic element P4, 191
- Deletions, transposon-promoted, use in DNA sequence analysis, 941
- DE MASSY, B., FAYET, O. & KOGOMA, T., Multiple origin usage for DNA replication in *sdrA(rnh)* mutants of *Escherichia coli* K-12. Initiation in the absence of *oriC*, 227
- DNA, a base-centred explanation of the B-to-A transition, 773
- binding activity of immunity repressor of bacteriophage P2, 629
- — assay, gel electrophoresis, in a study of the regulation of the *Escherichia coli* L-arabinose operon, 611
- polymerase role in the specificity of nucleotide incorporation opposite N-acetyl-2-aminofluorene adducts, 569
- psoralen-crosslinking as a probe for the structure of active nucleolar chromatin, 897
- replication, multiple origin usage, in *sdrA(rnh)* mutants of *Escherichia coli* K-12. Initiation in the absence of *oriC*, 227
- segment, 140 base-pair, from the kanamycin resistance region of plasmid R1 acts as an origin of replication and promotes site-specific recombination, 35
- sequence analysis, use of transposon-promoted deletions, 941
- — family, clustered and interspersed repetitive, of *Chironomus*. The nucleotide sequence of the Cla-elements and of various flanking sequences, 1
- —, repetitive, interspersed, dispersal process associated with the L1 family, 795
- structure at *Drosophila* locus 67B1, supercoil-dependent features, 17
- synthesis, phage, gene X of bacteriophage ϕ 1 is required; mutagenesis of in-frame overlapping genes, 137
- DEPAMPHILIS, M. L. (see also CUSICK, M. E.), 249
- DE ROBERTIS, E. M. (see also FRITZ, A.), 273
- Dispersal process associated with the L1 family of interspersed repetitive DNA sequences, 795
- Dispersive segregation of nucleosomes during replication of simian virus 40 chromosomes, 249
- DOENECKE, D. & TÖNJES, R., Conserved dyad symmetry structures at the 3' end of H5 histone genes. Analysis of the duck H5 gene, 121
- DREW, H. R. (see also CALLADINE, C. R.), 773
- Drosophila* locus 67B1, supercoil-dependent features of DNA structure, 17
- , steroid and high-temperature induction of small heat-shock protein genes, 173
- DUBOCHET, J. (see also McDOWALL, A. W.), 105
- Duck H5 histone gene, conserved dyad symmetry structure at the 3' end, 121
- Dyad symmetry structures, conserved, at the 3' end of H5 histone genes. Analysis of the duck H5 gene, 121
- Dynamics and structural basis of the fiber-to-crystal transition of sickle cell hemoglobin, 439
- EDGELL, M. H. (see also VOLIVA, C. F.), 795
- Egg-white avidin, hen, crystallization in a tetragonal form, 787
- Electron microscopic visualization of the SH₁ thiol of myosin by the use of an avidin-biotin system, 323
- ELGIN, S. C. R. (see also SELLECK, S. B.), 17
- Escherichia coli*, analysis of mRNA synthesis following induction of the SOS system, 237
- —, characterization by deletion mutagenesis *in vitro* of the promoter region of *ompF*, a positively regulated gene, 653
- —, interaction of ribosomal proteins S6, S8, S15 and S18 with the central domain of 16 S ribosomal RNA, 287
- — K-12, multiple origin usage for DNA replication in *sdrA(rnh)* mutants; initiation in the absence of *oriC*, 227

- — L-arabinose operon regulation, studied by gel electrophoresis DNA binding assay, 611
- — 4.5 S RNA gene, cloning and sequence analysis, 509
- — — — is essential for cell growth, 533
- — — — —, three-dimensional reconstruction of the 30 S ribosomal subunit from randomly oriented particles, 677
- Excision of introns 1 and 2 from adenoviral major late pre-messenger RNAs, a model, 47
- Expression, differential, and positioning of chemotaxis methylation proteins in *Caulobacter*, 551
- of the *HO* gene in yeast, five *SWI* genes are required, 853
- f1 (see also Bacteriophage), 137
- FALCIONI, G. (see also GRONENBORN, A. M.), 731
- FAYET, O. (see also DE MASSY, B.), 227
- FELDMAN, J. B., HICKS, J. B. & BROACH, J. R., Identification of sites required for repression of a silent mating type locus in yeast, 815
- Fiber-to-crystal transition of sickle cell hemoglobin, structural basis and dynamics, 439
- FILIPPINI, E. (see also GATTI, G.), 787
- Fish haemoglobins, stereochemistry of bound ATP and GTP. A transferred nuclear Overhauser enhancement, ³¹P-nuclear magnetic resonance, oxygen equilibrium and molecular modelling study, 731
- Flight muscle, insect, vitrified, cryo-electron microscopy, 105
- FOURNIER, M. J. (see also BROWN, S.), 533
- (— — Hsu, L. M.), 509
- FRANK, J. & VERSCHOOR, A., Masks for prescreening of molecule projections (*Appendix to* VERSCHOOR, A. *et al.*, 677), 696
- (see also VERSCHOOR, A.), 677
- FRANKE, W. W. (see also QUINLAN, R. A.), 365
- FRITZ, A., PARISOT, R., NEWMYER, D. & DE ROBERTIS, E. M., Small nuclear U-ribonucleoproteins in *Xenopus laevis* development. Uncoupled accumulation of the protein and RNA components, 273
- FULFORD, W. & MODEL, P., Gene X of bacteriophage f1 is required for phage DNA synthesis. Mutagenesis of in-frame overlapping genes, 137
- FURUKAWA, H. (see also INOKUCHI, K.), 653
- GATTI, G., BOLOGNESI, M., CODA, A., CHIOLERIO, F., FILIPPINI, E. & MALCOVATI, M., Crystallization of hen egg-white avidin in a tetragonal form, 787
- Gel electrophoresis DNA binding assay study of regulation of the *Escherichia coli* L-arabinose operon, 611
- Gene, ATPase subunit 6, of *Neurospora crassa*, two intervening sequences; a short intron (93 base-pairs) and a live intron that is stable after excision, 491
- *HO* in yeast, five *SWI* genes are required for expression, 853
- *ompF* of *Escherichia coli*, characterization by deletion mutagenesis *in vitro* of the promoter region, 653
- 4.5 S RNA, *Escherichia coli*, cloning and sequence analysis, 509
- — — — —, is essential for cell growth, 533
- *STE3*, α -specific, yeast, induction by the peptide pheromone α -factor, 835
- X of bacteriophage f1 is required for phage DNA synthesis. Mutagenesis of in-frame overlapping genes, 137
- Genes, histone, H5, conserved dyad symmetry structures at the 3' end; the duck H5 gene, 121
- , protein, heat-shock, small, in *Drosophila*, steroid and high-temperature induction, 173
- , *SWI*, five are required for expression of the *HO* gene in yeast, 853
- , tRNA^{Leu}, and corresponding yeast amber suppressors, 209
- Genetic element P4, plasmid mode of propagation, 191
- recombination of *Xenopus laevis* 5 S DNA in bacteria, 155
- GHISOTTI, D. (see also DEHÒ, G.), 191
- GIARDINA, B. (see also GRONENBORN, A. M.), 731
- β -Globin mRNA, configuration in rabbit reticulocytes. Identification of sites exposed to endogenous and exogenous nucleases, 881
- Glyceraldehyde 3-phosphate dehydrogenase, structural evidence for ligand-induced sequential conformational changes, 743
- GOMES, S. L. & SHAPIRO, L., Differential expression and positioning of chemotaxis methylation proteins in *Caulobacter*, 551

- GOURSE, R. L. (see also GREGORY, R. J.), 287
 — (— STARK, M. J. R.), 303
 GREGORY, R. J., ZELLER, M. L., THURLOW, D. L., GOURSE, R. L., STARK, M. J. R., DAHLBERG, A. E. & ZIMMERMANN, R. A., Interaction of ribosomal proteins S6, S8, S15 and S18 with the central domain of 16 S ribosomal RNA from *Escherichia coli*, 287
 — (see also STARK, M. J. R.), 303
 GRONENBORN, A. M., CLORE, G. M., BRUNORI, M., GIARDINA, B., FALCIONI, G. & PERUTZ, M. F., Stereochemistry of ATP and GTP bound to fish haemoglobins. A transferred nuclear Overhauser enhancement, ^{31}P -nuclear magnetic resonance, oxygen equilibrium and molecular modelling study, 731
 Growth cells, the 4.5 S RNA gene of *Escherichia coli* is essential, 533
 GRZESKOWIAK, K. (see also INOUE, T.), 669
 GTP and ATP bound to fish haemoglobins, stereochemistry. A transferred nuclear Overhauser enhancement, ^{31}P -nuclear magnetic resonance, oxygen equilibrium and molecular modelling study, 731
- H1-depleted soluble rat liver chromatin, psoralen-crosslinking, 920
 H5 histone genes, conserved dyad symmetry structures at the 3' end; the duck H5 gene, 121
 Haemoglobins, fish, stereochemistry of bound ATP and GTP. A transferred nuclear Overhauser enhancement, ^{31}P -nuclear magnetic resonance, oxygen equilibrium and molecular modelling study, 731
 HAGEN, D. C. & SPRAGUE, G. F. JR, Induction of the yeast α -specific *STE3* gene by the peptide pheromone **a**-factor, 835
 HAMILTON, D. L. & ABREMSKI, K., Site-specific recombination by the bacteriophage P1 *lox*-Cre system. Cre-mediated synopsis of two *lox* sites, 481
 HARPER, J. E. (see also MARKHAM, B. E.), 237
 HATZFELD, M. (see also QUINLAN, R. A.), 365
 Heat-shock protein genes in *Drosophila*, steroid and high-temperature induction, 173
 Heme pocket, evidence for structural heterogeneity: proton n.m.r. investigation of the allosteric transition in ligated and unligated carp hemoglobin, 929
 Hemoglobin, carp, ligated and unligated, proton n.m.r. investigation of the allosteric transition: evidence for structural heterogeneity in the heme pocket, 929
 —, sickle cell, structural basis and dynamics of the fiber-to-crystal transition, 439
 Hen egg-white avidin, crystallization in a tetragonal form, 787
 HENDERSON, R. (see also AMOS, L. A.), 711
 HENDRICKSON, W. & SCHLEIF, R. F., Regulation of the *Escherichia coli* L-arabinose operon studied by gel electrophoresis DNA binding assay, 611
 Hepatocytes and hepatoma cells, rat, heterotypic tetramer (A_2D_2) complexes of non-epidermal keratins isolated from cytoskeletons, 365
 HERSKOWITZ, I. (see also STERN, M.), 853
 HICKS, J. B. (see also FELDMAN, J. B.), 815
 High-temperature and steroid induction of the small heat-shock protein genes in *Drosophila*, 173
 HIRONO, S., AKAGAWA, H., MITSUI, Y. & IITAKA, Y., Crystal structure at 2.6 Å resolution of the complex of subtilisin BPN' with *Streptomyces* subtilisin inhibitor, 389
HO gene in yeast, five *SWI* genes are required for expression, 853
 HOFFMAN, B. M. (see also LA MAR, G. N.), 929
 HOFMANN, W. (see also McDOWALL, A. W.), 105
 HOL, W. G. J. (see also WIERENGA, R. K.), 487
 HOTANI, H., Transformation pathways of liposomes, 113
 HSU, L. M., ZAGORSKI, J. & FOURNIER, M. J., Cloning and sequence analysis of the *Escherichia coli* 4.5 S gene, 509
 Human plasma apo-retinol-binding protein, crystallization, 477
 HUSSEY, C. E. JR (see also CAROLL, D.), 155
 HUTCHINSON, C. A. III (see also VOLIVA, C. F.), 795
 Hydrophobic effect, implications from analytical equations for overlapping spheres; solvent accessible surface area and excluded volume in proteins, 63
- IITAKA, Y. (see also HIRONO, S.), 389
 Immunity repressor of bacteriophage P2. Identification and DNA-binding activity, 629
 Induction of the yeast α -specific *STE3* gene by the peptide pheromone **a**-factor, 835

- INOKUCHI, K., FURUKAWA, H., NAKAMURA, K. & MIZUSHIMA, S., Characterization by deletion mutagenesis *in vitro* of the promoter region of *ompF*, a positively regulated gene of *Escherichia coli*, 653
- INOUE, T., JOYCE, G. F., GRZESKOWIAK, K., ORGEL, L. E., BROWN, J. M. & REESE, C. B., Template-directed synthesis on the pentanucleotide CpCpGpCpC, 669
- Insect flight muscle, vitrified, cryo-electron microscopy, 105
- Intervening sequences, two, in the ATPase subunit 6 gene of *Neurospora crassa*: a short intron (93 base-pairs) and a long intron that is stable after excision, 491
- Introns 1 and 2, a model for excision from adenoviral major late pre-messenger RNAs, 47
- Isolectin II, agglutinin, wheat germ, structural comparison of the two distinct sugar binding sites, 91
- JENSEN, R. (see also STERN, M.), 853
- JOYCE, G. F. (see also INOUE, T.), 669
- JUBB, J. S. (see also AMOS, L. A.), 711
- JUE, T. (see also LA MAR, G. N.), 929
- Kanamycin resistance region of plasmid R1, a 140 base-pair DNA segment acts as an origin of replication and promotes site-specific recombination, 35
- KENYON, C. J. (see also MARKHAM, B. E.), 237
- Keratin non-epidermal heterotypic tetramer (A_2D_2) complexes isolated from cytoskeletons of rat hepatocytes and hepatoma cells, 365
- KOGOMA, T. (see also DE MASSY, B.), 227
- KOLLER, TH. (see also CONCONI, A.), 920
- (— — SOGO, J. M.), 897
- KROWCZYNSKA, A. (see also ALBRECHT, G.), 881
- L1 family of interspersed repetitive DNA sequences, and the associated dispersal process, 795
- LA MAR, G. N., JUE, T., HOFFMAN, B. M. & NAGAI, K., Proton nuclear magnetic resonance investigation of the allosteric transition in ligated and unligated carp hemoglobin. Evidence for structural heterogeneity in the heme pocket, 929
- L-arabinose operon of *Escherichia coli*, study of regulation, by gel electrophoresis DNA binding assay, 611
- L-cells, mouse, accumulation of rare and moderately abundant mRNAs is mainly post-transcriptionally regulated, 869
- LEHRER, R. I. (see also WESTBROOK, E. M.), 783
- LEPAULT, J. (see also McDOWALL, A. W.), 105
- LESLIE, A. G. W. & WONACOTT, A. J., Structural evidence for ligand-induced sequential conformational changes in glyceraldehyde 3-phosphate dehydrogenase, 743
- LIEBMAN, S. W., SRODULSKI, Z., REED, C. R., STEWART, J. W., SHERMAN, F. & BRENNAN, G., Yeast amber suppressors corresponding to tRNA^{Leu} genes, 209
- Ligand-induced sequential conformational changes in glyceraldehyde 3-phosphate dehydrogenase, structural evidence, 743
- Liposome transformation pathways, 113
- LOSA, R. (see also CONCONI, A.), 920
- lox*-Cre system, bacteriophage P1, site-specific recombination; Cre-mediated synapsis of two *lox* sites, 481
- LUNDQVIST, B. & BERTANI, G., Immunity repressor of bacteriophage P2. Identification and DNA-binding activity, 629
- LUSE, D. S. (see also COPPOLA, J. A.), 415
- McDOWALL, A. W., HOFMANN, W., LEPAULT, J., ADRIAN, M. & DUBOCHET, J., Cryo-electron microscopy of vitrified insect flight muscle, 105
- MACINO, G. (see also MORELLI, G.), 491
- MAKINEN, M. W. & SIGOUNTOS, C. W., Structural basis and dynamics of the fiber-to-crystal transition of sickle cell hemoglobin, 439
- MALCOVATI, M. (see also GATTI, G.), 787
- MARIMAN, E. C. M., SILLEKENS, P. T. G., VAN BEEK-REINDERS, R. J. & VAN VENROOIJ, W. J., A model for the excision of introns 1 and 2 from adenoviral major late pre-messenger RNAs, 47
- MARKHAM, B. E., HARPER, J. E., MOUNT, D. W., SANCAR, G. B., SANCAR, A., RUPP, W. D., KENYON, C. J. & WALKER, G. C., Analysis of mRNA synthesis following induction of the *Escherichia coli* SOS system, 237

- MARTIN, S. L. (see also VOLIVA, C. F.), 795
- Masks for prescreening of molecule projections, 696
- Mating type, silent, locus in yeast, identification of sites required for repression, 815
- Messenger RNA, β -globin, in rabbit reticulocytes, configuration; identification of sites exposed to endogenous and exogenous nucleases, 881
- mRNA synthesis following induction of the *Escherichia coli* SOS system, 237
- mRNAs, rare and moderately abundant, accumulation in mouse L-cells is mainly post-transcriptionally regulated, 869
- Methylation, chemotaxis, proteins in *Caulobacter*, differential expression and positioning, 551
- MISSET, O. (see also WIERENGA, R. K.), 487
- MITSUMI, Y. (see also HIRONO, S.), 389
- MIZUSHIMA, S. (see also INOKUCHI, K.), 653
- MODEL, P. (see also FULFORD, W.), 137
- Model chromatin assembly system. Factors affecting nucleosome spacing, 341
- Molecular modelling study of stereochemistry of ATP and GTP bound to fish haemoglobins, 731
- Molecule projections, masks for prescreening, 696
- MONACO, H. L., ZANOTTI, G., OTTONELLO, S. & BERNI, R., Crystallization of human plasma aporetin-binding protein, 477
- MORELLI, G. & MACINO, G., Two intervening sequences in the ATPase subunit 6 gene of *Neurospora crassa*. A short intron (93 base-pairs) and a long intron that is stable after excision, 491
- MOUNT, D. W. (see also MARKHAM, B. E.), 237
- Mouse L-cells, accumulation of rare and moderately abundant mRNAs is mainly post-transcriptionally regulated, 869
- Muscle, flight, insect, vitrified, cryo-electron microscopy, 105
- Mutagenesis, deletion, *in vitro*, use in characterization of the promoter region of *ompF*, a positively regulated gene of *Escherichia coli*, 653
- of in-frame overlapping genes. Gene X of bacteriophage ϕ 1 is required for phage DNA synthesis, 137
- Mutagenic SOS repair of site-specific psoralen damage in plasmid pBR322, 595
- Mutants, *sdrA(rnh)*, of *Escherichia coli* K-12, multiple origin usage for DNA replication; initiation in the absence of *oriC*, 227
- Mutations, site-directed, in the central domain of 16 S ribosomal RNA, effect upon ribosomal protein binding, RNA processing and 30 S subunit assembly, 303
- Myosin, electron microscopic visualization of the SH₁ thiol by the use of an avidin-biotin system, 323
- N*-acetyl-2-aminofluorene adducts, a role for DNA polymerase in the specificity of nucleotide incorporation opposite, 569
- NAGAI, K. (see also LA MAR, G. N.), 929
- NAKAMURA, K. (see also INOKUCHI, K.), 653
- NESS, P. J. (see also SOGO, J. M.), 897
- Neurospora crassa*, two intervening sequences in the ATPase subunit 6 gene: a short intron (93 base-pairs) and a long intron that is stable after excision, 491
- Neutrophil cationic protein NP2, a naturally occurring broad-spectrum antimicrobial agent from leukocytes, characterization of two crystal forms, 783
- NEWMAYER, D. (see also FRITZ, A.), 273
- NP2 neutrophil cationic protein, a naturally occurring broad-spectrum antimicrobial agent from leukocytes, characterization of two crystal forms, 783
- Nuclear magnetic resonance studies of the stereochemistry of ATP and GTP bound to fish haemoglobins, 731
- Nucleosome dispersive segregation during replication of SV40 chromosomes, 249
- spacing, and a model chromatin assembly structure, 341
- Nucleotide incorporation opposite *N*-acetyl-2-aminofluorene adducts, a role for DNA polymerase in the specificity, 569
- sequence of the Cla-elements and of various flanking sequences for clustered and interspersed repetitive DNA of *Chironomus*, 1
- ompF*, a positively regulated gene of *Escherichia coli*, characterization by deletion mutagenesis *in vitro* of the promoter region, 653
- OPPERDOES, F. R. (see also WIERENGA, R. K.), 487
- ORGEL, L. E. (see also INOUE, T.), 669

- oriC* absence, and multiple origin usage for DNA replication in *sdrA(rnh)* mutants of *Escherichia coli* K-12, 227
- OTTONELLO, S. (see also MONACO, H. L.), 477
- Oxygen equilibrium study of stereochemistry of ATP and GTP bound to fish haemoglobins, 731
- P1 (see also Bacteriophage), 481
- P2 (see also Bacteriophage), 629
- P4 genetic element, plasmid mode of propagation, 191
- PARISH, R. W. (see also SOGO, J. M.), 897
- PARISOT, R. (see also FRITZ, A.), 273
- Pathways, transformation, of liposomes, 113
- pBR322 plasmid, mutagenic SOS repair of site-specific psoralen damage, 595
- Pentanucleotide CpCpGpCpC, template-directed synthesis, 669
- Peptide pheromone α -factor and induction of the yeast α -specific *STE3* gene, 835
- PERUTZ, M. F. (see also GRONENBORN, A. M.), 731
- Pheromone α -factor and induction of the yeast α -specific *STE3* gene, 835
- Plasma apo-retinol-binding protein, human; crystallization, 477
- Plasmid mode of propagation of the genetic element P4, 191
- pBR322, mutagenic SOS repair of site-specific psoralen damage, 595
- R1, a 140 base-pair DNA segment from the kanamycin resistance region acts as an origin of replication and promotes site-specific recombination, 35
- PLISHKER, M. F. & BERGET, P. B., Isolation and characterization of precursors in bacteriophage T4 baseplate assembly. III. The carboxyl termini of protein P11 are required for assembly activity, 699
- Positioning of chemotaxis methylation proteins in *Caulobacter*, 551
- Precursors in bacteriophage T4 baseplate assembly isolation and characterization; the carboxyl termini of protein P11 are required for assembly activity, 699
- Promoter region of *ompF*, a positively regulated gene of *Escherichia coli*, characterization by deletion mutagenesis *in vitro*, 653
- Propagation, plasmid mode, of the genetic element P4, 191
- Protein, apo-retinol-binding, human plasma; crystallization, 477
- binding, ribosomal, effects of site-directed mutations in the central domain of 16 S ribosomal RNA, 303
- genes, heat-shock, small, in *Drosophila*, steroid and high-temperature induction, 173
- , neutrophil cationic, NP2, a naturally occurring broad-spectrum antimicrobial agent from leukocytes, characterization of two crystal forms, 783
- P11 carboxyl termini are required for assembly activity; isolation and characterization of precursors in bacteriophage T4 baseplate assembly, 699
- and RNA components, uncoupled accumulation; small nuclear U-ribonucleoproteins in *Xenopus laevis* development, 273
- Proteins, chemotaxis methylation, in *Caulobacter*, differential expression and positioning, 551
- , ribosomal, S6, S8, S15 and S18, interaction with the central domain of 16 S ribosomal RNA from *Escherichia coli*, 287
- , solvent accessible surface area and excluded volume; analytical equations for overlapping spheres and implications for the hydrophobic effect, 63
- Protofilament arrangements in two forms of tubulin crystal induced by vinblastine, 711
- Proton nuclear magnetic resonance investigation of the allosteric transition in ligated and unligated carp hemoglobin. Evidence for structural heterogeneity in the heme pocket, 929
- Psoralen site-specific damage in plasmid pBR322, mutagenic SOS repair, 595
- crosslinking of DNA as a probe for the structure of active nucleolar chromatin, 897
- — — soluble and of H1-depleted soluble rat liver chromatin, 920
- QUINLAN, R. A., COHLBERG, J. A., SCHILLER, D. L., HATZFELD, M. & FRANKE, W. W., Heterotypic tetramer (A_2D_2) complexes of non-epidermal keratins isolated from cytoskeletons of rat hepatocytes and hepatoma cells, 365
- R1 plasmid, a 140 base-pair DNA segment from the kanamycin resistance region acts as an origin of replication and promotes site-specific recombination, 35
- Rabbit reticulocytes, configuration of β -globin mRNA; identification of sites exposed to endogenous and exogenous nucleases, 881

- RABKIN, S. D. & STRAUSS, B. S., A role for DNA polymerase in the specificity of nucleotide incorporation opposite *N*-acetyl-2-aminofluorene adducts, 569
- RADERMACHER, M. (see also VERSCHOOR, A.), 677
- Rat hepatocytes and hepatoma cells, heterotypic tetramer (A_2D_2) complexes of non-epidermal keratins isolated from cytoskeletons, 365
- liver chromatin, soluble, H1-depleted psoralen-crosslinking, 920
- Recombination, genetic, of *Xenopus laevis* 5 S DNA in bacteria, 155
- , site-specific, by the bacteriophage P1 *lox*-Cre system. Cre-mediated synapsis of two *lox* sites, 481
- , —, —, is promoted by a 140 base-pair DNA segment from the kanamycin resistance region of plasmid R1, 35
- Reconstruction, three-dimensional, of the 30 S ribosomal subunit from randomly oriented particles, 677
- REED, C. R. (see also LIEBMAN, S. W.), 209
- REESE, C. B. (see also INOUE, T.), 669
- Regulation of the *Escherichia coli* L-arabinose operon studied by gel electrophoresis DNA binding assay, 611
- , mainly post-transcriptional, of accumulation of rare and moderately abundant mRNAs in mouse L-cells, 869
- Repair, SOS, mutagenic, of site-specific psoralen damage in plasmid pBR322, 595
- Replication, a 140 base-pair DNA segment from the kanamycin resistance region of plasmid R1 acts as an origin, 35
- , DNA, multiple origin usage, in *sdrA*(*rnh*) mutants of *Escherichia coli* K-12. Initiation in the absence of *oriC*, 227
- of SV40 chromosomes, and dispersive segregation of nucleosomes, 249
- Repression of a silent mating type locus in yeast, identification of sites required, 815
- Reticulocytes, rabbit, configuration of β -globin mRNA; identification of sites exposed to endogenous and exogenous nucleases, 881
- Ribosomal protein binding, RNA processing and 30 S subunit assembly. the effects of site-directed mutations in the central domain of 16 S ribosomal RNA, 303
- proteins S6, S8, S15 and S18, interaction with the central domain of 16 S ribosomal RNA from *Escherichia coli*, 287
- 30 S subunit, three-dimensional reconstruction from randomly oriented particles, 677
- RNA polymerase II, accurately initiated, in ternary complexes containing less than 20 nucleotides of RNA, 415
- processing, effects of site-directed mutations in the central domain of 16 S ribosomal RNA, 303
- and protein components, uncoupled accumulation; small nuclear U-ribonucleoproteins in *Xenopus laevis* development, 273
- , 4.5 S gene of *Escherichia coli*, cloning and sequence analysis, 509
- , —, —, —, — is essential for cell growth, 533
- , 16 S ribosomal, from *Escherichia coli*, interaction of the central domain with ribosomal proteins S6, S8, S15 and S18, 287
- , —, —, effects of site-directed mutations in the central domain upon ribosomal protein binding, RNA processing and 30 S subunit assembly, 303
- RNAs, pre-messenger, late, major, adenoviral, a model for the excision of introns 1 and 2, 47
- RICHMOND, T. J., Solvent accessible surface area and excluded volume in proteins. Analytical equations for overlapping spheres and implications for the hydrophobic effect, 63
- RUFF, W. D. (see also MARKHAM, B. E.), 237
- SAFFRAN, W. A. & CANTOR, C. R., Mutagenic SOS repair of site-specific psoralen damage in plasmid pBR322, 595
- SANCAR, A. (see also MARKHAM, B. E.), 237
- SANCAR, G. B. (see also MARKHAM, B. E.), 237
- SCHIBLER, U. (see also CARNEIRO, M.), 869
- SCHILLER, D. L. (see also QUINLAN, R. A.), 365
- SCHLEIF, R. F. (see also HENDRICKSON, W.), 611
- SCHMIDT, E. R., Clustered and interspersed repetitive DNA sequence family of *Chironomus*. The nucleotide sequence of the Cla-elements and of various flanking sequences, 1
- sdrA*(*rnh*) mutants of *Escherichia coli* K-12, multiple origin usage for DNA replication; initiation in the absence of *oriC*, 227
- Segregation, dispersive, of nucleosomes during replication of SV40 chromosomes, 249
- SELLECK, S. B., ELGIN, S. C. R. & CARTWRIGHT, I. L., Supercoil-dependent features of DNA structure at *Drosophila* locus 67B1, 17

- SELSTED, M. E. (see also WESTBROOK, E. M.), 783
- Sequence analysis of the *Escherichia coli* 4.5 S RNA gene, 509
- , DNA, analysis, use of transposon-promoted deletions, 941
- , nucleotide, of the Cla-elements and of various flanking sequences for clustered and interspersed repetitive DNA of *Chironomus*, 1
- Sequences, DNA, repetitive, interspersed, dispersal process associated with the L1 family, 795
- , intervening, two, in the ATPase subunit 6 gene of *Neurospora crassa*. A short intron (93 base-pairs) and a long intron that is stable after excision, 491
- SH₁ thiol of myosin, electron microscopic visualization by the use of an avidin-biotin system, 323
- SHAPIRO, L. (see also GOMES, S. L.), 551
- SHERMAN, F. (see also LIEBMAN, S. W.), 209
- Sickle cell hemoglobin, structural basis and dynamics of the fiber-to-crystal transition, 439
- SIGOUNTOS, C. W. (see also MAKINEN, M. W.), 439
- Silent mating type locus in yeast, identification of sites required for repression, 815
- SILLEKENS, P. T. G. (see also MARIMAN, E. C. M.), 47
- Simian virus 40 chromosomes, dispersive segregation of nucleosomes during replication, 249
- SIRONI, G. (see also DEHÒ, G.), 191
- Sites required for repression of a silent mating type locus in yeast; identification, 815
- Small nuclear U-ribonucleoproteins in *Xenopus laevis* development. Uncoupled accumulation of the protein and RNA components, 273
- SOGO, NESS, P. J., WIDMER, R. M., PARISH, R. W. & KOLLER, TH., Psoralen-crosslinking of DNA as a probe for the structure of active nucleolar chromatin, 897
- (see also CONCONI, A.), 920
- Solvent accessible surface area and excluded volume in proteins. Analytical equations for overlapping spheres and implications for the hydrophobic effect, 63
- SOS mutagenic repair of site-specific psoralen damage in plasmid pBR322, 595
- system, *Escherichia coli*, analysis of mRNA synthesis following its induction, 237
- Spacing, nucleosome, and a model chromatin assembly system, 341
- Specificity of nucleotide incorporation opposite *N*-acetyl-2-aminofluorene adducts, a role for DNA polymerase, 569
- SPRAGUE, G. F. JR (see also HAGEN, D. C.), 835
- SRODULSKI, Z. (see also LIEBMAN, S. W.), 209
- STARK, M. J. R., GREGORY, R. J., GOURSE, R. L., THURLOW, D. L., ZWIEB, C., ZIMMERMANN, R. A. & DAHLBERG, A. E., Effects of site-directed mutations in the central domain of 16 S ribosomal RNA upon ribosomal protein binding, RNA processing and 30 S subunit assembly, 303
- (see also GREGORY, R. J.), 287
- STE3 gene, α -specific, yeast, induction by the peptide pheromone α -factor, 835
- STEIN, A. & BINA, M., A model chromatin assembly system. Factors affecting nucleosome spacing, 341
- Stereochemistry of ATP and GTP bound to fish haemoglobins. A transferred nuclear Overhauser enhancement, ³¹P-nuclear magnetic resonance, oxygen equilibrium and molecular modelling study, 731
- STERN, M., JENSEN, R. & HERSKOWITZ, I., Five *SWI* genes are required for expression of the *HO* gene in yeast, 853
- Steroid and high-temperature induction of the small heat-shock protein genes in *Drosophila*, 173
- STEWART, J. W. (see also LIEBMAN, S. W.), 209
- STRAUSS, B. S. (see also RABKIN, S. D.), 569
- Streptomyces* subtilisin inhibitor, complex with subtilisin BPN', crystal structure at 2.6 Å resolution, 389
- Structural basis and dynamics of the fiber-to-crystal transition of sickle cell hemoglobin, 439
- comparison of the two distinct sugar binding sites in wheat germ agglutinin isolectin II, 91
- evidence for ligand-induced sequential conformational changes in glyceraldehyde 3-phosphate dehydrogenase, 743
- Structure of active nucleolar chromatin, psoralen-crosslinking of DNA as a probe, 897
- , crystal, at 2.6 Å resolution of the complex of subtilisin BPN' with *Streptomyces* subtilisin inhibitor, 389
- , DNA, at *Drosophila* locus 67B1, supercoil-dependent features, 17
- Structures, dyad symmetry, conserved, at the 3' end of H5 histone genes; the duck H5 gene, 121
- Subtilisin BPN', complex with *Streptomyces* subtilisin inhibitor, crystal structure at 2.6 Å resolution, 389
- Subunit 6, ATPase, gene of *Neurospora crassa*, two intervening sequences; a short intron (93 base-pairs) and a long intron that is stable after excision, 491

- Subunit, 30 S, assembly, effects of site-directed mutations in the central domain of 16 S ribosomal RNA, 303
- , — ribosomal, of *Escherichia coli*, three-dimensional reconstruction from randomly oriented particles, 677
- Sugar binding sites in wheat germ agglutinin isolectin II, structural comparison, 91
- Supercoil-dependent features of DNA structures at *Drosophila* locus 67B1, 17
- Suppressors, amber, yeast, corresponding to tRNA^{Leu}₃ genes, 209
- Surface area, solvent accessible, and excluded volume in proteins. Analytical equations for overlapping spheres and implications for the hydrophobic effect, 63
- SUTOH, K., YAMAMOTO, K. & WAKABAYASHI, T., Electron microscopic visualization of the SH₁ thiol of myosin by the use of an avidin-biotin system, 323
- SWI genes, five, are required for expression of the *HO* gene in yeast, 853
- Synapsis, Cre-mediated, of two *lox* sites. Site-specific recombination by the bacteriophage P1 *lox*-Cre system, 481
- Synthesis, template-directed, on the pentanucleotide CpCpGpCpC, 669
- T4 (see also Bacteriophage), 699
- Template-directed synthesis on the pentanucleotide CpCpGpCpC, 669
- Thiol SH₁ of myosin, electron microscopic visualization by the use of an avidin-biotin system, 323
- 3' end of H5 histone genes, conserved dyad symmetry structures; the duck H5 gene, 121
- THURLLOW, D. L. (see also GREGORY, R. J.), 287
- (— STARK, M. J. R.), 303
- TÖNJES, R. (see also DOENECKE, D.), 121
- tRNA^{Leu}₃ genes and corresponding yeast amber suppressors, 209
- Transformation pathways of liposomes, 113
- Transposon-promoted deletions, use in DNA sequence analysis, 941
- Triosephosphate isomerase from the blood parasite *Trypanosoma brucei brucei*, preliminary crystallographic studies, 487
- Trypanosoma brucei brucei*, preliminary crystallographic studies of triosephosphate isomerase, 487
- Tubulin crystal, arrangement of protofilaments in two forms induced by vinblastine, 711
- U-ribonucleoproteins, nuclear, small, in *Xenopus laevis* development. Uncoupled accumulation of the protein and RNA components, 273
- VAN BEEK-REINDERS, R. J. (see also MARIMAN, E. C. M.), 47
- VAN VENROOIJ, W. J. (see also MARIMAN, E. C. M.), 47
- VERSCHOOR, A., FRANK, J., RADERMACHER, M., WAGENKNECHT, T. & BOUBLIK, M., Three-dimensional reconstruction of the 30 S ribosomal subunit from randomly oriented particles, 677
- (see also FRANK, J.), 696
- VIGERS, G. (see also AMOS, L. A.), 711
- Vinblastine-induced forms, two, or tubulin crystal, arrangement of protofilaments, 711
- Virus, SV40, chromosomes, dispersive segregation of nucleosomes during replication, 249
- VITEK, M. P. & BERGER, E. M., Steroid and high-temperature induction of the small heat-shock protein genes in *Drosophila*, 173
- Vitrified insect flight muscle, cryo-electron microscopy, 105
- VOLIVA, C. F., MARTIN, S. L., HUTCHINSON, C. A. III & EDGELL, M. H., Dispersal process associated with the L1 family of interspersed repetitive DNA sequences, 795
- WAGENKNECHT, T. (see also VERSCHOOR, A.), 677
- WAKABAYASHI, T. (see also SUTOH, K.), 323
- WALKER, G. C. (see also MARKHAM, B. E.), 237
- WASSARMAN, P. M. (see also CUSICK, M. E.), 249
- WESTBROOK, E. M., LEHRER, R. I. & SELSTED, M. E., Characterization of two crystal forms of neutrophil cationic protein NP2, a naturally occurring broad-spectrum antimicrobial agent from leukocytes, 783
- Wheat germ agglutinin isolectin II, structural comparison of the two distinct sugar binding sites, 91
- WIDMER, R. M. (see also SOGO, J. M.), 897
- WIERENGA, R. K., HOL, W. G. J., MISSET, O. & OPPERDOES, F. R., Preliminary crystallographic studies of triosephosphate isomerase from the blood parasite *Trypanosoma brucei brucei*, 487
- WONACOTT, A. J. (see also LESLIE, A. G. W.), 743
- WRIGHT, C. S., Structural comparison of the two distinct sugar binding sites in wheat germ agglutinin isolectin II, 91

WRIGHT, S. H. (see also CAROLL, D.), 155

Xenopus laevis development, and small nuclear U-ribonucleoproteins. Uncoupled accumulation of the protein and RNA components, 273

—, genetic recombination of 5 S DNA in bacteria, 155

YAMAMOTO, K. (see also SUTOH, K.), 323

Yeast α -specific *STE3* gene, induction by the peptide pheromone **a**-factor, 835

— amber suppressors corresponding to tRNA₃^{Lcu} genes, 209

—, identification of sites required for repression of a silent mating type locus, 815

ZAGORSKI, J. (see also HSU, L. M.), 509

ZANGROSSI, S. (see also DEHÒ, G.), 191

ZANOTTI, G. (see also MONACO, H. L.), 477

ZELLER, M. L. (see also GREGORY, R. J.), 287

ZIMMERMANN, R. A. (see also GREGORY, R. J.), 287

— (— STARK, M. J. R.), 303

ZWIEB, C. (see also STARK, M. J. R.), 303

